Eisus Enterprises
temperature, pressure, humidity, flow & level, solenoid valves
Call now! 359-9687/355-5126

S220 Dual-channel Thermocouple Thermometer

Introduction

S220-T8

Standard Accessories

Features:

- Both°C and °Fare available.
- Capacity 36000 Data memory.
- Big size LCD and USB interface.
- Log interval:2s-24h.
- ToAnalyzer Analysis software used to view graph for logging data, configuration,powerful ability of data analysis and friendly.

Technical Specifications

Measuring range	-200~+1800°C
Resolution	0.1°C
Accuracy	±0.5°C / ±0.2%FS
Recording capacity	43000Group
Reaction time	1.5 seconds
Instrument Operating Environment	0~80%RH / 0~50°C
Package Size	202(L)×165(W)×58mm(T)
Power supply	DC 9V power supply
Accessory	PC software, batteries, user manual, USB data cable, adapter, paper tray.

Applications

Widely applied in Electronics, food indu stry, warehousing, textile industry. incubator and scientific research etc.

Eisus Enterprises
temperature, pressure, humidity, flow & level, solenoid valves
Call now! 359-9687/355-5126

Standalone version software

Logpro Recorder Analysis Software

Logpro software is Huatu temperature and humidity recorder dedicated data analysis software, beautiful interface, elegant, easy to use and efficient, the software is very comprehensive, can logger attribute settings, download logger data, graphically analyze data, export the data to Excel / pdf / BMP and other formats.





usb_logger

SN	Time	Temp(°C)	Humi(%RH)
1	2015-03-06 14:52:40	20.3	70.5
2	2015-03-06 14:53:40	20.2	71.1
3	2015-03-06 14:54:40	20.1	71.9
4	2015-03-06 14:55:40	20.1	71.9
5	2015-03-06 14:56:40	20.0	72.3
6	2015-03-06 14:57:40	20.0	72.6
7	2015-03-06 14:58:40	20.0	72.6
8	2015-03-06 14:59:40	20.0	72.7
9	2015-03-06 15:00:40	20.1	72.7
10	2015-03-06 15:01:40	20.0	72.8
11	2015-03-06 15:02:40	20.0	72.8
12	2015-03-06 15:03:40	19.9	73.1

HUATO

Logpro stand-alone software







Eisus Enterprises
temperature, pressure, humidity, flow & level, solenoid valves
Call now! 359-9687/355-5126